

# Spare parts list

OZAT CFV-20

## Categories explanation\*

**Wear & Tear:** Spare parts that should be replaced periodically on maintenance and service; listed with recommended replacement frequencies in month.

**Strategic:** Recommended spare parts on site for clients needing high availability all the time, facing no delays due to transportation or customs.

**Optional:** Spare parts that should not break, listed for completeness.

**Please note:** In case maintenance and service is not fulfilled according to manual's instructions, warranty claims can not be accepted. Our spare parts deliveries are usually delivered with DHL express.

Parts orders or further information requests to be addressed to our customer care team: [info@curio.group](mailto:info@curio.group)

| Qty | Article no. | Item   | Category*   | Family | Replacement frequency (month) |
|-----|-------------|--|-------------|--------|-------------------------------|
| 1   | 2620023614  | C* - INTERFERENCE SUPPORT FILTER CNW 107/280                         | Optional    | C      |                               |
| 1   | 2620023345  | C* - SACE-MAIN CIRCUIT BREAKER T3N 250 F F R250 3POL                 | Strategic   | A      |                               |
| 1   | 2620022252  | C - NETZGERAET 0.75A/24VDC   2868635                                 | Strategic   | A      |                               |
| 1   | 2620022251  | R - TRANSFORMATOR 400V/230V/16VA   ELD EI 54/18                      | Strategic   | B      |                               |
| 3   | 2620023624  | R - FUSE SEMICONDUCTOR 250A/690V 6.9 URB 00 D08L 250                 | Wear & Tear | A      |                               |
| 1   | 2620025601  | C* - HL MINIATURE CIRCUIT BREAKERS   QM2-0.8                         | Strategic   | A      |                               |
| 1   | 2620025857  | R* - MINIATURE CIRCUIT BREAKER S201M-C 4                             | Strategic   | A      |                               |
| 1   | 2620022249  | R* - VOLTAGE MONITOR DPB 01 C M48                                    | Strategic   | C      |                               |
| 1   | 2620025903  | C* - AUXILIARY CONTACT TO S200 S2C-H11L                              | Strategic   | A      |                               |
| 1   | 2620023626  | C* - CONTROL VOLTAGE TRANSF. DRUE 2000/DYN5/3X400V/440V/480V//400V+N | Strategic   | C      |                               |
| 1   | 2620022671  | C* - CONTACTOR POWER 230VAC A260-30-11230VAC                         | Strategic   | A      |                               |
| 1   | 2620022391  | C - CONTACTOR POWER 230VAC A009-30-01230VAC                          | Strategic   | A      |                               |
| 3   | 2620014162  | R - FAN AXIAL LV700/230V   | Wear & Tear | C      | 48                            |
| 1   | 2620014163  | C - OUTLET FILTER GV 700   | Strategic   | C      |                               |
| 1   | 2620023615  | C - HV TRANSFORMER CFV-20 304KVA                                     | Optional    | D      |                               |
| 1   | 2620013502  | R* - RELAYS 24VDC / 1UK FINDER 40.31.9.024.0000                      | Strategic   | C      |                               |
| 1   | 2620013895  | R* - RELAY 24VDC / 2UK FINDER 40.52.9.024.0000                       | Strategic   | C      |                               |
| 1   | 2620010548  | R - CUBICLE TEMPERATURE SENSOR (16B1) SK3110000/24VDC                | Strategic   | A      |                               |
| 1   | 2620020229  | R* - INTERLOCK DOOR SWITCH DS 3                                      | Strategic   | C      |                               |
| 1   | 2620022374  | R* - PASSIVE ISOLATOR MCR-1CLP-I/I-00                                | Strategic   | A      |                               |
| 1   | 2620013402  | R* - TEMP. SWITCH ATHS-2/0...70 DEG C RANGE: 0... +70 DEG C          | Strategic   | B      |                               |
| 1   | 2620014836  | C - DOME PRESSURE REDUCER WITH AUTOMATIC CONTROL G2-C2/812/10/1      | Strategic   | C      |                               |
| 1   | 2620014323  | C - PRESSURE CONTROLLER PILOT VALVE                                  | Strategic   | A      |                               |
| 1   | 2620022853  | R - RUPTURE DISC LCN DN25 0,10 MIN. 3.0 - MAX. 4.5 BAR               | Strategic   | B      |                               |
| 1   | 2620023440  | C - PRESSURE INDICATOR CFS-14 / CFS-28 - 111.16.063 6BAR G1/4 B      | Strategic   | C      |                               |
| 1   | 2620023649  | C* - FLOWMETER RAMC05-D4SS-71M5-T90NNN/SD/H1/B10/P3                  | Wear & Tear | C      | 24                            |
| 1   | 2620032033  | C - OBLIQUE-SEATED VALVE CFV15/20/30 (inlet/outlet feedgas)          | Strategic   | B      |                               |
| 1   | 2620015267  | C* - BALL VALVE S271 - 3/4 - MS NICKEL - PLATED                      | Strategic   | B      |                               |
| 1   | 2620023651  | C - REGULATION VALVE CFV-20 MG2080TZ00 1 1/4 MATERIAL 1.4435         | Strategic   | C      |                               |
| 1   | 2620029666  | C - FLOW METER for CFV-5 / 10 / 15 / 20                              | Strategic   | C      |                               |
| 1   | 2620024252  | R - O-RRING FPM FOR CFV-20 COVER INSIDE DIAM741 MM / WIDTH 10 MM     | Strategic   | C      |                               |
| 1   | 2620011686  | C - HV THROUGH BUSH SMALL for OZONE VESSEL (TYPE OF)                 | Strategic   | C      |                               |
| 1   | 2620023742  | R* - REINFORCED HOSE OZONE OUTLET CFV-20 L3800 DN65                  | Strategic   | C      |                               |
| 1   | 2620023743  | R* - REINFORCED HOSE GAS INLET CFV-20 L1700 DN65                     | Strategic   | C      |                               |

**curio** water

Pioneer House 30, Celtic Court, Ballmoor, Buckingham, MK18 1RQ  
Email: [info@curio.group](mailto:info@curio.group) | Tel: +44 (0) 1442 843640



**VEOLIA**

Water Technologies & Solutions  
Channel Partner

# Spare parts list

OZAT CFV-20

## Categories explanation\*

**Wear & Tear:** Spare parts that should be replaced periodically on maintenance and service; listed with recommended replacement frequencies in month.

**Strategic:** Recommended spare parts on site for clients needing high availability all the time, facing no delays due to transportation or customs.

**Optional:** Spare parts that should not break, listed for completeness.

**Please note:** In case maintenance and service is not fulfilled according to manual's instructions, warranty claims can not be accepted. Our spare parts deliveries are usually delivered with DHL express.

Parts orders or further information requests to be addressed to our customer care team: [info@curio.group](mailto:info@curio.group)

| Qty                      | Article no. | Item  | Category*   | Family | Replacement frequency (month) |
|--------------------------|-------------|---|-------------|--------|-------------------------------|
| 1                        | 2620027660  | R - TEFLON BAND # 9.53 MM WIDE  | Wear & Tear | C      | 12                            |
| 1                        | 2620030179  | R* - OXYGENE GREASE OXIGENOEX S4 TUBE OF 4G                           | Wear & Tear | C      | 12                            |
| 1                        | 2620023623  | R - FIXATION STAR / DIELECTRIC RESTRIANT FOR OZONE GENERATOR VESSEL   | Strategic   | D      |                               |
| 1                        | 2620015076  | R - FILTER MAT P15/350S AM 735P for LV600/LV700/GV700                 | Wear & Tear | C      | 12                            |
| 1                        | 2620012137  | A - LEAK DETECTOR MS-SNOOP-20Z 59ML                                   | Wear & Tear | C      | 12                            |
| 1                        | 2620024640  | C - GASKETS FOR CFV-5/10/20 COOLINGWATER PIPE                         | Wear & Tear | C      | 24                            |
| 1                        | 2620024639  | R* - GASKETS FOR CFV-20 GAS PIPE                                      | Wear & Tear | D      | 24                            |
| 1                        | 2620027630  | R - DECALCIFIER 1 L BOTTLE  | Wear & Tear | A      | 12                            |
| 1                        | 2620023425  | R - TEMPERATURE MONITOR KO 410 045 +/-3                               | Wear & Tear | A      | 24                            |
| 1                        | 2620023654  | A - CONTROLLER COMPLETE FOR TYPE CFV-5...20                           | Strategic   | D      |                               |
| 1                        | 2620023660  | A - SET OF DRIVERS FOR CONVERTER CFV-20 V1                            | Strategic   | D      |                               |
| 1                        | 2620029874  | C* - FLAT GASKET VITON FOR SITE GLASS CFV-5 ...20 D150/125X2 MM       | Wear & Tear | C      |                               |
| 1                        | 2620029875  | R* - FLAT GASKET DURLON 8500 FOR SITE GLASS CFV-5 ...20 D150/125X2 MM | Wear & Tear | C      |                               |
| <b>AIR FEEDGAS</b>       |             |   |             |        |                               |
| 1                        | 2620010004  | A - DIELECTRIC AT 95 - 540 MM with CAMS for at VESSEL                 | Strategic   | D      |                               |
| 1                        | 2620012491  | R - CONNECTING ROD D4X2196 DUPLEX                                     | Strategic   | B      |                               |
| 1                        | 2620023736  | R* - END NUT SW8 M8 L75 MM  | Strategic   | B      |                               |
| 1                        | 2620030745  | A - HV-FUSE CS 120 TD 4.5 - A   | Strategic   | D      |                               |
| <b>OXYGEN FEEDGAS</b>    |             |   |             |        |                               |
| 1                        | 2620023908  | A - DIELECTRIC LG03 A-548 MM WITH CAMS                                | Strategic   | D      |                               |
| 1                        | 2620023915  | C - CONNECTING ROD for LG DIELECTRIC D4X2225 DUPLEX 1.4016            | Strategic   | B      |                               |
| 1                        | 2620024453  | R* - END NUT SW8 M8 L45 MM  | Strategic   | B      |                               |
| 1                        | 2620030745  | A - HV-FUSE CS 120 TD 4.5 - A   | Strategic   | D      |                               |
| <b>ALLEN BRADLEY PLC</b> |             |   |             |        |                               |
| 1                        | 2620024731  | C* - MICROLOGIX 1200/40 EIA + R CONTROL UNIT                          | Strategic   | C      |                               |
| 1                        | 2620022238  | C* - MICROLOGIX 1200/ANALOG EIA 1762-IF20F2                           | Strategic   | C      |                               |
| 1                        | 2620022239  | R* - MICROLOGIX 1200/MEMORY MODULE 1762-MM1                           | Optional    | C      |                               |
| 1                        | 2620031052  | R - TOUCH PANEL PWS6600S-P  | Strategic   | A      |                               |
| <b>SIEMENS PLC</b>       |             |   |             |        |                               |
| 1                        | 2620024734  | R* - S7-200 CPU 226 6ES7 216-2AD23-0XB0                               | Strategic   | A      |                               |
| 1                        | 2620024733  | R* - S7-200 EM 235 4AI/1AO 6ES7 235-0KD22-0XA0                        | Strategic   | A      |                               |
|                          | 2620024737  | R* - S7-200 SPEICHERMODUL MC291 6ES7 291-8GE20-0XA0                   | Strategic   | A      |                               |
| 1                        | 2620031052  | R - TOUCH PANEL PWS6600S-P  | Strategic   | A      |                               |

**curio** water

Pioneer House 30, Celtic Court, Ballmoor, Buckingham, MK18 1RQ  
Email: [info@curio.group](mailto:info@curio.group) | Tel: +44 (0) 1442 843640



Water Technologies & Solutions  
Channel Partner

### Categories explanation\*

**Wear & Tear:** Spare parts that should be replaced periodically on maintenance and service; listed with recommended replacement frequencies in month.

**Strategic:** Recommended spare parts on site for clients needing high availability all the time, facing no delays due to transportation or customs.

**Optional:** Spare parts that should not break, listed for completeness.

**Please note:** In case maintenance and service is not fulfilled according to manual's instructions, warranty claims can not be accepted. Our spare parts deliveries are usually delivered with DHL express.

Parts orders or further information requests to be addressed to our customer care team: [info@curio.group](mailto:info@curio.group)

| Qty                  | Article no. | Item   | Category* | Family | Replacement frequency (month) |
|----------------------|-------------|--|-----------|--------|-------------------------------|
| <b>TELEMECANIQUE</b> |             |  |           |        |                               |
| 1                    | 2620015605  | C* - TELEMECANIQUE CONNECTION CABLE XBT-Z968           | Strategic | C      |                               |
| 1                    | 2620024991  | R* - TELEMECANIQUE PREMIUM PLC RACK TSXRKY8            | Strategic | C      |                               |
| 1                    | 2620024992  | R* - TELEMECANIQUE PREMIUM PLC PSU 24V TSXPSY1610M     | Strategic | C      |                               |
| 1                    | 2620024993  | R* - TELEMECANIQUE PREMIUM PLC PROCESSOR TSXP57103M    | Strategic | C      |                               |
| 1                    | 2620024994  | C* - TELEMECANIQUE PREMIUM PLC RAM-MEMORY TSXMFP224K   | Strategic | C      |                               |
| 1                    | 2620024995  | R* - TELEMECANIQUE PREMIUM PLC 16 DI                   | Strategic | C      |                               |
| 1                    | 2620024996  | R* - TELEMECANIQUE PREMIUM PLC 16DO 24V                | Strategic | C      |                               |
| 1                    | 2620024997  | R* - TELEMECANIQUE PREMIUM PLC ANALOG INPUT TSXAEY414  | Strategic | C      |                               |
| 1                    | 2620024998  | R* - TELEMECANIQUE PREMIUM PLC ANALOG OUTPUT TSXASY410 | Strategic | C      |                               |
| 1                    | 2620024999  | R* - TELEMECANIQUE PREMIUM PLC TERMINAL TSXBLY01       | Strategic | C      |                               |
| 1                    | 2620025000  | R* - TELEMECANIQUE PREMIUM PLC WEB SERVER TSXETY5103   | Strategic | C      |                               |
| 1                    | 2620031052  | R - TOUCH PANEL PWS6600S-P                             | Strategic | A      |                               |